

나라장터 \ 혁신장터

PRODUCT LIST


V1.2(2026.03)


CONTENTS


LED 가로등기구	04
LED 보안등기구	06
LED 터널등기구	07
LED 투광등기구	08
전해커패시터 레스 플리커 프리 LED 조명등	10
스테인리스 가로등주 (파이프형)	11
철제 가로등주 (파이프형/테이퍼형)	12
고정식 조명타워 (스텝볼트형/안전망사다리형)	13
LED 실내조명등	14
LED 다운라이트	15

LED 가로등기구

조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-ECO75	24491222	75W / 색온도 5000K	270,000	878(W)x375(L)x225(H)	
	CI-ECO100	24491223	100W / 색온도 5000K	298,000	878(W)x375(L)x225(H)	
	CI-ECO125	24491224	125W / 색온도 5000K	350,000	878(W)x375(L)x225(H)	
	CI-ECO150	24491225	150W / 색온도 5000K	380,000	878(W)x375(L)x225(H)	
	CI-ECO200	24491227	200W / 색온도 5000K	440,000	878(W)x375(L)x225(H)	
	CI-STL-ECO250A	24190362	250W / 색온도 5000K	550,000	878(W)x375(L)x225(H)	

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-ECO75INCN	24491228	75W / 색온도 3000K	270,000	878(W)x375(L)x225(H)	
	CI-ECO100INCN	24491229	100W / 색온도 3000K	298,000	878(W)x375(L)x225(H)	
	CI-ECO150INCN	24491231	150W / 색온도 3000K	380,000	878(W)x375(L)x225(H)	


	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-STL-40ECO100	24301364	100W / 색온도 4000K	264,000	878(W)x375(L)x225(H)	
	CI-STL-40ECO125	24301365	125W / 색온도 4000K	319,000	878(W)x375(L)x225(H)	
	CI-STL-40ECO150	24301366	150W / 색온도 4000K	330,000	878(W)x375(L)x225(H)	

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-ECO75_SM	26171332	75W / 색온도 5000K	270,000	670(W)x280(L)x205(H)	

LED 가로등기구

조달우수제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-DFRL-50C75N	25471406	75W / 색온도 5000K	283,000	878(W)x375(L)x225(H)	
	CI-DFRL-50C100N	25471407	100W / 색온도 5000K	351,000	878(W)x375(L)x225(H)	
	CI-DFRL-50C125N	25471408	125W / 색온도 5000K	381,000	878(W)x375(L)x225(H)	
	CI-DFRL-50C150N	25471409	150W / 색온도 5000K	424,000	878(W)x375(L)x225(H)	
	CI-DFRL-50C200N	25471410	200W / 색온도 5000K	528,000	878(W)x375(L)x225(H)	
	CI-DFRL-50C250	24261408	250W / 색온도 5000K	679,000	878(W)x375(L)x225(H)	

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-DFRL-30C100N	25471399	100W / 색온도 3000K	349,000	878(W)x375(L)x225(H)	
	CI-DFRL-30C125N	25471400	125W / 색온도 3000K	390,000	878(W)x375(L)x225(H)	
	CI-DFRL-30C150N	25471401	150W / 색온도 3000K	423,000	878(W)x375(L)x225(H)	
	CI-DFRL-40C75N	25471402	75W / 색온도 4000K	294,000	878(W)x375(L)x225(H)	
	CI-DFRL-40C100N	25471403	100W / 색온도 4000K	344,000	878(W)x375(L)x225(H)	
	CI-DFRL-40C125N	25471404	125W / 색온도 4000K	379,000	878(W)x375(L)x225(H)	
	CI-DFRL-40C150N	25471405	150W / 색온도 4000K	405,000	878(W)x375(L)x225(H)	

LED 보안등기구

조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-STL-30ECO50N	24485360	50W / 색온도 3000K	210,000	670(W)x280(L)x205(H)	
	CI-STL-40ECO50N	24485361	50W / 색온도 4000K	210,000	670(W)x280(L)x205(H)	
	CI-STL-50ECO50N	24485362	50W / 색온도 5000K	210,000	670(W)x280(L)x205(H)	

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-50CECO60	23612391	60W / 색온도 5000K	163,000	670(W)x280(L)x205(H)	

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-30C-MB50	23975297	50W / 색온도 3000K	540,000	490(W)x490(L)x470(H)	

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-STLS-50C50	25769391	50W / 색온도 5000K	152,000	440(W)x240(L)x112(H)	

LED 보안등기구

조달우수제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-DFRL-50C50	24261412	50W / 색온도 5000K	244,000	670(W)x280(L)x205(H)	

LED 터널등기구

조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-CLC-50C75	24494211	75W / 색온도 5000K	290,000	450(W)x350(L)x150(H)	
	CI-CLC-50C100E2	24494214	100W(2회로) / 색온도 5000K	354,000	450(W)x350(L)x150(H)	
	CI-CLC-50C200	24494216	200W / 색온도 5000K	416,000	450(W)x350(L)x150(H)	

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-STNL-50C100N	26009825	100W / 색온도 5000K	290,000	410(W)x360(L)x150(H)	
	CI-STNL-50C100N2	26009826	100W(2회로) / 색온도 5000K	320,000	410(W)x360(L)x150(H)	
	CI-STNL-50C200N	25996659	200W / 색온도 5000K	380,000	410(W)x360(L)x150(H)	

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-STNL-50C50T_SM	25471138	50W / 색온도 5000K	240,000	360(W)x300(L)x140(H)	
	CI-STNL-50C50T2_SM	25471139	50W(2회로) / 색온도 5000K	279,000	360(W)x300(L)x140(H)	
	CI-STNL-50C75T2_SM	25471141	75W(2회로) / 색온도 5000K	315,000	360(W)x300(L)x140(H)	
	CI-STNL-50C100T_SM	25471142	100W / 색온도 5000K	290,000	360(W)x300(L)x140(H)	

LED 터널등기구

조달우수제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-DFRT-50C50SN	25471412	50W / 색온도 5000K	305,000	360(W)x300(L)x140(H)	
	CI-DFRT-50C75SN	25471414	75W / 색온도 5000K	342,000	360(W)x300(L)x140(H)	
	CI-DFRT-50C100SN	25471416	100W / 색온도 5000K	402,000	360(W)x300(L)x140(H)	
	CI-DFRT-50C50DN	25471411	50W(2회로) / 색온도 5000K	348,000	360(W)x300(L)x140(H)	
	CI-DFRT-50C75DN	25471413	75W(2회로) / 색온도 5000K	415,000	360(W)x300(L)x140(H)	
	CI-DFRT-50C100DN	25471415	100W(2회로) / 색온도 5000K	434,000	360(W)x300(L)x140(H)	
	CI-DFRT-50C150N	25471417	150W / 색온도 5000K	498,000	360(W)x300(L)x140(H)	
	CI-DFRT-50C200N	25471418	200W / 색온도 5000K	618,000	360(W)x410(L)x160(H)	

LED 투광등기구

조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-57C-DC80W	24112422	80W / 색온도 5700K	144,000	300(W)x300(L)x60(H)	
	CI-57C-DC100W	24112423	100W / 색온도 5700K	149,000	300(W)x300(L)x60(H)	
	CI-57C-DC150W	24112425	150W / 색온도 5700K	168,000	300(W)x300(L)x60(H)	
	CI-57C-DC200W	24112426	200W / 색온도 5700K	193,000	300(W)x300(L)x60(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-BVP564_300	25985050	300W / 색온도 5700K	880,000	494(W)x458(L)x77(H)	
	CI-BVP565_400	25985051	400W / 색온도 5700K	1,320,000	660(W)x465(L)x77(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-DFRF-OLP1200NA	24474832	1200W / 색온도 5700K	3,110,000	540(W)x440(L)x140(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-OHFD-57C600S	24976283	600W / 색온도 5700K	1,673,000	480(W)x340(L)x88(H)	
	CI-OHFD-57C900S	24976284	900W / 색온도 5700K	2,328,000	480(W)x510(L)x88(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-OHFD-57C300M	24976285	300W / 색온도 5700K	882,000	513(W)x454(L)x80(H)	
	CI-OHFD-57C400M	24976286	400W / 색온도 5700K	1,210,000	513(W)x454(L)x80(H)	
	CI-OHFD-57C600M	24976287	600W / 색온도 5700K	1,634,000	513(W)x715(L)x115(H)	
	CI-OHFD-57C800M	24976288	800W / 색온도 5700K	1,843,000	513(W)x715(L)x115(H)	

LED 투광등기구

조달우수제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-DFRF-50C80	24270244	80W / 색온도 5700K	191,000	300(W)x300(L)x60(H)	
	CI-DFRF-50C100	24270245	100W / 색온도 5700K	203,000	300(W)x300(L)x60(H)	
	CI-DFRF-50C120	24270246	120W / 색온도 5700K	211,000	300(W)x300(L)x60(H)	
	CI-DFRF-50C150	24270247	150W / 색온도 5700K	290,000	300(W)x300(L)x60(H)	
	CI-DFRF-50C200	24270248	200W / 색온도 5700K	354,000	300(W)x300(L)x60(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-DFRF-57C200S	24976290	200W / 색온도 5700K	662,000	550(W)x170(L)x185(H)	
	CI-DFRF-57C300S	24976291	300W / 색온도 5700K	736,000	550(W)x170(L)x185(H)	
	CI-DFRF-57C400S	24976292	400W / 색온도 5700K	1,263,000	550(W)x340(L)x185(H)	
	CI-DFRF-57C600S	24976293	600W / 색온도 5700K	1,705,000	550(W)x340(L)x185(H)	
	CI-DFRF-57C900S	24976294	900W / 색온도 5700K	2,381,000	550(W)x510(L)x185(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-DFRF-57C300M	24976295	300W / 색온도 5700K	1,254,000	513(W)x454(L)x80(H)	
	CI-DFRF-57C400M	24976296	400W / 색온도 5700K	1,721,000	513(W)x454(L)x80(H)	
	CI-DFRF-57C600M	24976297	600W / 색온도 5700K	2,188,000	513(W)x715(L)x115(H)	
	CI-DFRF-57C800M	24976298	800W / 색온도 5700K	2,341,000	513(W)x715(L)x115(H)	
	CI-DFRF-30C300M	25471420	300W / 색온도 3000K	1,350,000	513(W)x454(L)x80(H)	
	CI-DFRF-30C400M	25471421	400W / 색온도 3000K	1,773,000	513(W)x454(L)x80(H)	
	CI-DFRF-30C600M	25471422	600W / 색온도 3000K	2,271,000	513(W)x715(L)x115(H)	
	CI-DFRF-30C800M	25471423	800W / 색온도 3000K	2,440,000	513(W)x715(L)x115(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-DFRF-OLP1200A	24266183	1200W / 색온도 5700K	3,223,000	634(W)x440(L)x112(H)	
	CI-DFRF-OLP1500A	25708871	1500W / 색온도 5700K	3,490,000	622(W)x659(L)x196(H)	
	CI-DFRF-OLP1800A	25708872	1800W / 색온도 5700K	3,780,000	622(W)x659(L)x196(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-BVP428A	25471419	1300W / 색온도 5700K	3,592,000	580(W)x655(L)x118(H)	

전해커패시터 레스 플리커 프리 LED 조명등

혁신장터제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-FCRL-50C50	25136904	50W / 색온도 4000K	230,000	670(W)x280(L)x225(H)	
	CI-FCRL-50C75	25136905	75W / 색온도 4000K	270,000	670(W)x280(L)x225(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-FCRL-50C150	25136906	150W / 색온도 4000K	325,000	878(W)x375(L)x225(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-FCRT-50C50	25136900	50W / 색온도 5000K	275,000	360(W)x300(L)x140(H)	
	CI-FCRT-50C75	25136901	75W / 색온도 5000K	305,000	360(W)x300(L)x140(H)	
	CI-FCRT-50C150	25136902	150W / 색온도 5000K	325,000	360(W)x300(L)x140(H)	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-FCRF-57C100	25173614	100W / 색온도 5700K	203,000	300(W)x300(L)x200(H)	

스테인리스 가로등주 (파이프형)

조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-RSP-04C	22817538	4m, 1등용	630,000	원2단형	
	CI-RSP-04CS	25421802	4m, 1등용	730,000		
	CI-RSP-05C	23738266	5m, 1등용	673,000		
	CI-RSP-05CS	25436972	5m, 1등용	910,000		
	CI-RSP-06C	23738269	6m, 1등용	736,000		
	CI-RSP-08A	22773889	8m, 1등용	1,490,000	원2단형	
	CI-RSP-10A	22773891	10m, 1등용	1,815,000		
	CI-RSP-12A	22773893	12m, 1등용	2,035,000		
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-RSP-04C-2	23738265	4m, 2등용	732,000	원2단형	
	CI-RSP-05C-2	23738267	5m, 2등용	783,000		
	CI-RSP-06C-2	23738268	6m, 2등용	846,000		

철제 가로등주 (파이프형)

조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-SSSP-030	24377154	3m, 1등용	330,000	원형1단, 외등용	
	CI-SSSP-040	24377155	4m, 1등용	350,000		
	CI-SSSP-045	24377156	4.5m, 1등용	390,000		
	CI-SSSP-050	24377157	5m, 1등용	420,000		
	CI-SSSP-060	24377158	6m, 1등용	470,000		

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-RTP-04A	22773879	4.5m, 1등용	500,000	원1단형	
	CI-RTP-05A	22773881	5m, 1등용	550,000		

철제 가로등주 (테이퍼형)

조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-RTT-07C	23153348	7m, 1등용	715,000	원형 테이퍼형, 팔각 테이퍼형	
	CI-RTT-08C	23153349	8m, 1등용	765,000		
	CI-RTT-09C	23153350	9m, 1등용	815,000		
	CI-RTT-10C	23153351	10m, 1등용	839,050		
	CI-RTT-11C	23153352	11m, 1등용	895,000		
	CI-RTT-12C	23153353	12m, 1등용	965,000		

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-RTT-07D	23153354	7m, 2등용	865,000	원형 테이퍼형, 팔각 테이퍼형	
	CI-RTT-08D	23153355	8m, 2등용	915,000		
	CI-RTT-09D	23153356	9m, 2등용	965,000		
	CI-RTT-10D	23153357	10m, 2등용	1,015,000		
	CI-RTT-11D	23153358	11m, 2등용	1,095,000		
	CI-RTT-12D	23153359	12m, 2등용	1,145,000		

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-RTT-085A	22835076	8.5m, 1등용	780,000	원형 테이퍼형, 팔각 테이퍼형	
	CI-RTT-10A	22773869	10m, 1등용	840,000		
	CI-RTT-12A	22773871	12m, 1등용	930,000		
	CI-RTT-12B	22773872	12m, 2등용	1,120,000		


고정식 조명타워 (스텝볼트형)

조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-SB 12-06	22525627	12m, 6등용	4,408,000	고정식 스텝볼트형	
	CI-SB 15-06	22525626	15m, 6등용	6,971,000		
	CI-SB 20-10	22525625	20m, 10등용	15,246,000		

고정식 조명타워 (안전망사다리형)

조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-LL1206	24670058	12m, 6등용	5,600,000	고정식 안전망사다리형	
	CI-SL 15-06	22525622	15m, 6등용	8,448,000		
	CI-LL1806	24670062	18m, 6등용	11,800,000		
	CI-LL2010	24670064	20m, 10등용	16,000,000		
	CI-LL2510	24670066	25m, 10등용	20,000,000		

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-LL1212	24670059	12m, 12등용	6,800,000	고정식 안전망사다리형	
	CI-LL1512	24670061	15m, 12등용	9,500,000		
	CI-LL1812	24670063	18m, 12등용	13,500,000		
	CI-LL2518	24670067	25m, 18등용	21,000,000		
	CI-LL3024	24670068	30m, 24등용	27,000,000		


LED 실내조명등


조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-IRTF-57C40_LC	25737259	40W / 색온도 5700K	65,000	직하형, 고정형	
	CI-IRTF-57C50_LC	25737260	50W / 색온도 5700K	69,000		
	CI-IRTR-57C40_LC	25737261	40W / 색온도 5700K	65,000	직하형, 매입형	
	CI-IRTR-57C50_LC	25737262	50W / 색온도 5700K	69,000		
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-ISQF-57C40_LC	25737263	40W / 색온도 5700K	65,000	직하형, 고정형	
	CI-ISQF-57C50_LC	25737264	50W / 색온도 5700K	69,000		
	CI-ISQR-57C40_LC	25737265	40W / 색온도 5700K	65,000	직하형, 매입형	
	CI-ISQR-57C50_LC	25737266	50W / 색온도 5700K	69,000		

LED 다운라이트

조달일반제품

	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-IDL6-57C15	25326653	15W / 색온도 5700K	55,000	6인치 매입형, 디밍 가능	
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-IDL8-40C40	25326656	40W / 색온도 4000K	70,000	8인치 매입형, 디밍 가능	
	CI-IDL8-57C40	25326657	40W / 색온도 5700K	70,000		
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-IDL3-30C12_LC	25737244	12W / 색온도 3000K	25,000	3인치 매입형	
	CI-IDL3-40C12_LC	25737245	12W / 색온도 4000K	25,000		
	CI-IDL3-57C12_LC	25737246	12W / 색온도 5700K	25,000		
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-IDL6-30C12_LC	25737247	12W / 색온도 3000K	28,000	6인치 매입형	
	CI-IDL6-40C12_LC	25737248	12W / 색온도 4000K	28,000		
	CI-IDL6-57C12_LC	25737249	12W / 색온도 5700K	28,000		
	CI-IDL6-30C15_LC	25737250	15W / 색온도 3000K	29,000		
	CI-IDL6-40C15_LC	25737251	15W / 색온도 4000K	29,000		
	CI-IDL6-57C15_LC	25737252	15W / 색온도 5700K	29,000		
	CI-IDL6-30C20_LC	25737253	20W / 색온도 3000K	34,000		
	CI-IDL6-40C20_LC	25737254	20W / 색온도 4000K	34,000		
	CI-IDL6-57C20_LC	25737255	20W / 색온도 5700K	34,000		
	모델명	식별번호	제품특성	조달가격	비고	인증
	CI-IDL8-30C40_LC	25737256	40W / 색온도 3000K	65,000	8인치 매입형	
	CI-IDL8-40C40_LC	25737257	40W / 색온도 4000K	65,000		
	CI-IDL8-57C40_LC	25737258	40W / 색온도 5700K	65,000		



주식회사 천일

본사·공장 경기도 시흥시 경기과기대로 36 3바 312호

TEL 031-496-0330 **FAX** 031-496-9042

서울사무소 서울시 성동구 성수이로 51 서울숲 한라시그마밸리 1차 601호

TEL 02-6907-1001 **FAX** 02-469-1011

ci@ichunil.com | www.ichunil.com